


A B C D E F G H J K



ARTIKELNR./  
ARTICLE NO.  
**EB10897**

MÄRKSTRÖM/  
CURRENT RATING  
**32 A**

MEASURING EQUIPMENT	
CURR - TRAFO- SPACE	ENERGY- METER- SPACE

FAST ANSLUTNING/ FIXED CONNECTIONS	
<125A	>125A

CEE-OUTLETS 3-POLE/230V			
16A	32A	63A	125A

SCHUKO OUTLETS 2-POLE/230V	
16A	
<b>4</b>	

CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
<b>2</b>	<b>1</b>		

JFB/RCCB		
<0,03A	>0,3A	>0,03A & <0,3A
<b>1</b>		

JFB/RCCB  
Variable

VIKT/WEIGHT  
kg


This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 32//421-1 EN 4P  
Norskt Art. Nr. 1570752



RITAD A/DRAWN BY <b>CG</b>	DATUM/DATE <b>140926</b>	NEXT SHEET <b>2</b>	SHEET <b>1</b>
SIGN	REVISION/ISSUE <b>B 2/10 -15</b>	RITNING NR./DRAWING <b>EB10897</b>	

A B C D E F G H J K



ARTIKELNR./  
ARTICLE NO.  
**EB10897**

MÄRKSTRÖM/  
CURRENT RATING  
**32 A**

MEASURING  
EQUIPMENT  
CURR-  
TRAFO-  
SPACE ENERGY-  
METER-  
SPACE

FAST ANSLUTNING/  
FIXED CONNECTIONS  
<125A >125A

CEE-OUTLETS  
3-POLE/230V  
16A 32A 63A 125A

SCHUKO OUTLETS  
2-POLE/230V  
16A  
**4**

CEE-OUTLETS  
5-POLE/400V  
16A 32A 63A 125A  
**2 1**

JFB/RCCB  
<0,03A >0,3A >0,03A & <0,3A  
**1**

JFB/RCCB  
Variable

VIKT/WEIGHT  
kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 32//421-1 EN 4P  
Norskt Art. Nr. 1570752



RITAD A/DRAWN BY <b>CG</b>	DATUM/DATE <b>140926</b>	NEXT SHEET <b>3</b>	SHEET <b>2</b>
SIGN	REVISION/ISSUE <b>B 2/10 -15</b>	RITINGS NR./DRAWING <b>EB10897</b>	

A	B	C	D	E	F	G	H	J	K
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)		ARTIKELNR./ ARTICLE NO. <b>EB10897</b>
1		Kapsling	17.12.GM	Ide	297 x 504 x 177	17.12.GM			MÄRKSTRÖM/ CURRENT RATING <b>32 A</b>
2	F01, F02	Automatsäkring	PLSM, 10kA, 1P+N	Eaton	C 16A	242272			MEASURING EQUIPMENT
1	F03	Automatsäkring	PLSM, 10kA, 4P	Eaton	C 16A	242612			CURR - TRAFO- SPACE
1	JF01	Jordfelsbrytare	PFIM, 4-P	Eaton	40A, 30mA	235439	2162237		ENERGY- METER- SPACE
1	X00	Kopplingsplint	EKS525	Eldon	4 x 1,5 - 25mm <sup>2</sup>	EKS525	2251130		FAST ANSLUTNING/ FIXED CONNECTIONS
4	X01, X02	Schukouttag	35219, Typ F, Fjåde	Mennekes	16A, 230V, IP54	11000EB			<125A
2	X03	Paneluttag	416RU6	ABB	16A, 400V, IP44	416RU6	1961483		>125A
1	X04	Paneluttag	432RU6	ABB	32A, 400V, IP44	432RU6	1961633		CEE-OUTLETS 3-POLE/230V
									16A 32A 63A 125A
									SCHUKO OUTLETS 2-POLE/230V 16A
									<b>4</b>
									CEE-OUTLETS 5-POLE/400V
									16A 32A 63A 125A
									<b>2 1</b>
									JFB/RCCB
									>0,03A & <0,3A
									<b>1</b>
									JFB/RCCB Variable
									VIKT/WEIGHT
									kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 32//421-1 EN 4P  
Norskt Art. Nr. 1570752



RITAD A/DRAWN BY <b>CG</b>	DATUM/DATE <b>140926</b>	NEXT SHEET	SHEET <b>3</b>
SIGN	REVISION/ISSUE <b>B 2/10 -15</b>	RITINGS NR./DRAWING <b>EB10897</b>	