


A	B	C	D	E	F	G	H	J	K
---	---	---	---	---	---	---	---	---	---



Djup: 122mm

ARTIKELNR /
ARTICLE NO.
E2466295

MÄRKSTRÖM /
CURRENT RATING
16 A

SPÄNNING /
VOLTAGE
400 V

MEASURING
EQUIPMENT
CURR-
TRAFO-
SPACE ENERGY-
METER-
SPACE

FAST ANSLUTNING /
FIXED CONNECTIONS
<125A >125A

CEE-OUTLETS
3-POLE
16A 32A 63A 125A

SCHUKO OUTLETS
16A
2

CEE-OUTLETS
4-POLE
16A 32A 63A 125A

CEE-OUTLETS
5-POLE/400V
16A 32A 63A 125A

JFB/RCD/RCBO
0,01A 0,03A 0,1A
1

JFB/RCD/RCBO
0,3A 0,5A Variable


VIKT/WEIGHT
3,0 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 16III//2-1 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190123	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE C	RITNING NR./DRAWING E2466295	



ARTIKELNR /
ARTICLE NO.
E2466295

MÄRKSTRÖM /
CURRENT RATING
16 A

SPÄNNING /
VOLTAGE
400 V

MEASURING
EQUIPMENT
CURR-
TRAFO-
SPACE ENERGY-
METER-
SPACE

FAST ANSLUTNING /
FIXED CONNECTIONS
<125A >125A

CEE-OUTLETS
3-POLE
16A 32A 63A 125A

SCHUKO OUTLETS
16A
2

CEE-OUTLETS
4-POLE
16A 32A 63A 125A

CEE-OUTLETS
5-POLE/400V
16A 32A 63A 125A

JFB/RCD/RCBO
0,01A 0,03A 0,1A
1

JFB/RCD/RCBO
0,3A 0,5A Variable

VIKT/WEIGHT
3,0 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 16III//2-1 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190123	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE C	RITINGS NR./DRAWING E2466295	

A	B	C	D	E	F	G	H	J	K		
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)	ARTIKELNR / ARTICLE NO. E2466295			
1	-						35	MÄRKSTRÖM/ CURRENT RATING 16 A			
1		Kapsling	67TC09	Idé	284x222x122, 8mod	17.8.P		SPÄNNING/ VOLTAGE 400 V			
1	F01	RCBO	PKPM2-16/2/C/003-A	Eaton	10kA, 2P, C 16A, 30	108111	2162432	MEASURING EQUIPMENT			
1	X00	Plint	EKS 525	Eldon AB	//25mm ²		2251130	CURR- TRAFO- SPACE	ENERGY- METER- SPACE		
2	X01	Schukouttag	Typ F	Mennekes	230V, 16A, IP54	11020EB		FAST ANSLUTNING/ FIXED CONNECTIONS			
								<125A	>125A		
								CEE-OUTLETS 3-POLE			
								16A	32A	63A	125A
								SCHUKO OUTLETS			
								16A			
								2			
								CEE-OUTLETS 4-POLE			
								16A	32A	63A	125A
								CEE-OUTLETS 5-POLE/400V			
								16A	32A	63A	125A
								JFB/RCD/RCBO			
								0,01A	0,03A	0,1A	
								1			
								JFB/RCD/RCBO			
								0,3A	0,5A	Variable	
								VIKT/WEIGHT			
								3,0	kg		

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 16III/2-1 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190123	NEXT SHEET	SHEET 3
SIGN	REVISION/ISSUE C	RITINGS NR./DRAWING E2466295	