


A	B	C	D	E	F	G	H	J	K
---	---	---	---	---	---	---	---	---	---



Djup: 177mm

ARTIKELNR /
ARTICLE NO.
EB11340

MÄRKSTRÖM /
CURRENT RATING
63 A

SPÄNNING /
VOLTAGE
400 V

MEASURING
EQUIPMENT
CURR-
TRAFO-
SPACE ENERGY-
METER-
SPACE

FAST ANSLUTNING /
FIXED CONNECTIONS
<125A >125A

CEE-OUTLETS
3-POLE
16A 32A 63A 125A

SCHUKO OUTLETS
16A
2

CEE-OUTLETS
4-POLE
16A 32A 63A 125A

CEE-OUTLETS
5-POLE/400V
16A 32A 63A 125A
1 1

JFB/RCD/RCBO
0,01A 0,03A 0,1A
1

JFB/RCD/RCBO
0,3A 0,5A Variable


VIKT/WEIGHT
5,5 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 63III//211-1 EN IP65



RITAD AV/DRAWN BY CG	DATUM/DATE 190123	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE B	RITNING NR./DRAWING EB11340	



ARTIKELNR / ARTICLE NO. EB11340	
MÄRKSTRÖM / CURRENT RATING 63	A
SPÄNNING / VOLTAGE 400	V
MEASURING EQUIPMENT	
CURR- TRAFO- SPACE	ENERGY- METER- SPACE
FAST ANSLUTNING / FIXED CONNECTIONS	
<125A	>125A
CEE-OUTLETS 3-POLE	
16A	32A 63A 125A
SCHUKO OUTLETS	
16A	
2	
CEE-OUTLETS 4-POLE	
16A	32A 63A 125A
CEE-OUTLETS 5-POLE/400V	
16A	32A 63A 125A
1	1
JFB/RCD/RCBO	
0,01A	0,03A 0,1A
1	
JFB/RCD/RCBO	
0,3A	0,5A Variable
VIKT/WEIGHT	
5,5 kg	

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 63III//211-1 EN IP65



RITAD AV/DRAWN BY CG	DATUM/DATE 190123	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE B	RITINGS NR./DRAWING EB11340	

A	B	C	D	E	F	G	H	J	K
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)		ARTIKELNR / ARTICLE NO. EB11340
1	-	Kapsling	67TC13	Idé	504x297x177, 12mod	17.12.GM			MÄRKSTRÖM/ CURRENT RATING 63 A
2	F01-F02	MCB	iC60N	Schneider Electric	C 16A, 1P, 6kA	A9F04116	2112043		SPÄNNING/ VOLTAGE 400 V
1	F03	MCB	iC60N	Schneider Electric	C 16A, 3P, 6kA	A9F04316	2112073		MEASURING EQUIPMENT CURR- TRAFO- SPACE ENERGY- METER- SPACE
1	F04	MCB	iC60N	Schneider Electric	C 32A, 3P, 6kA	A9F04332	2112076		FAST ANSLUTNING/ FIXED CONNECTIONS <125A >125A
1	JF01	RCD	iID	Schneider Electric	63A, 30mA, 4P, A	A9Z21463	2164970		CEE-OUTLETS 3-POLE 16A 32A 63A 125A
3	X00	Universalklämma	KE 66	Ensto	AL/CU 2//6-50mm ²	KE 66	2673561		SCHUKO OUTLETS 16A 2
1		Universalklämma	KE 66.2	Ensto	AL/CU 2//6-50mm ²	KE 66.2	2673562		CEE-OUTLETS 4-POLE 16A 32A 63A 125A
1		Universalklämma	KE 66.3	Ensto	AL/CU 2//6-50mm ²	KE 66.3	2673563		CEE-OUTLETS 5-POLE/400V 16A 32A 63A 125A 1 1 1
2	X01-X02	Uttag	Typ F	ABL	16A, 230V, IP67	1987951			JFB/RCD/RCBO 0,01A 0,03A 0,1A 1
1	X03	Uttag	416RAU6W	ABB	16A, 400V, IP67	2CMA167030R1000	2416712		JFB/RCD/RCBO 0,3A 0,5A Variable
1	X04	Uttag	432RAU6W	ABB	32A, 400V, IP67	2CMA166982R1000	2416735		VIKT/WEIGHT 5,5 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 63III/211-1 EN IP65



RITAD AV/DRAWN BY CG	DATUM/DATE 190123	NEXT SHEET	SHEET 3
SIGN	REVISION/ISSUE B	RITINGS NR./DRAWING EB11340	