


|   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|
| A | B | C | D | E | F | G | H | J | K |
|---|---|---|---|---|---|---|---|---|---|



ARTIKELNR/  
ARTICLE NO.  
**EB11372**

MÄRKSTRÖM/  
CURRENT RATING  
**32**      **A**

SPÄNNING/  
VOLTAGE  
**400**      **V**

MEASURING  
EQUIPMENT

|                          |                            |
|--------------------------|----------------------------|
| CURR-<br>TRAFO-<br>SPACE | ENERGY-<br>METER-<br>SPACE |
|--------------------------|----------------------------|

FAST ANSLUTNING/  
FIXED CONNECTIONS

|       |       |
|-------|-------|
| <125A | >125A |
|-------|-------|

CEE-OUTLETS  
3-POLE

|     |     |     |      |
|-----|-----|-----|------|
| 16A | 32A | 63A | 125A |
|-----|-----|-----|------|

SCHUKO OUTLETS

|     |   |
|-----|---|
| 16A | 4 |
|-----|---|

CEE-OUTLETS  
4-POLE

|     |     |     |      |
|-----|-----|-----|------|
| 16A | 32A | 63A | 125A |
|-----|-----|-----|------|

CEE-OUTLETS  
5-POLE/400V

|     |     |     |      |
|-----|-----|-----|------|
| 16A | 32A | 63A | 125A |
| 2   | 1   |     |      |

JFB/RCD/RCBO

|       |       |      |
|-------|-------|------|
| 0,01A | 0,03A | 0,1A |
| 1     |       |      |

JFB/RCD/RCBO

|      |      |          |
|------|------|----------|
| 0,3A | 0,5A | Variable |
|------|------|----------|

VIKT/WEIGHT  
**5,5**      **kg**


Djup: 177mm

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 32III/421-1 EN



|                                |                             |                                       |                   |
|--------------------------------|-----------------------------|---------------------------------------|-------------------|
| RITAD AV/DRAWN BY<br><b>CG</b> | DATUM/DATE<br><b>190123</b> | NEXT SHEET<br><b>2</b>                | SHEET<br><b>1</b> |
| SIGN                           | REVISION/ISSUE<br><b>B</b>  | RITNING NR./DRAWING<br><b>EB11372</b> |                   |



|   |                    |
|---|--------------------|
| ARTIKELNR / ARTICLE NO.<br><b>EB11372</b> |                    |
| MÄRKSTRÖM / CURRENT RATING<br><b>32</b>   | <b>A</b>           |
| SPÄNNING / VOLTAGE<br><b>400</b>          | <b>V</b>           |
| MEASURING EQUIPMENT                       |                    |
| CURR-TRAFO-SPACE                          | ENERGY-METER-SPACE |
| FAST ANSLUTNING / FIXED CONNECTIONS       |                    |
| <125A                                     | >125A              |
| CEE-OUTLETS 3-POLE                        |                    |
| 16A                                       | 32A 63A 125A       |
| SCHUKO OUTLETS                            |                    |
| 16A                                       |                    |
| <b>4</b>                                  |                    |
| CEE-OUTLETS 4-POLE                        |                    |
| 16A                                       | 32A 63A 125A       |
| CEE-OUTLETS 5-POLE/400V                   |                    |
| 2   | 1                  |
| JFB/RCD/RCBO                              |                    |
| 0,01A                                     | 0,03A 0,1A         |
| <b>1</b>                                  |                    |
| JFB/RCD/RCBO                              |                    |
| 0,3A                                      | 0,5A Variable      |
| VIKT/WEIGHT                               |                    |
| <b>5,5</b> kg                             |                    |

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 32III//421-1 EN



|                                |                             |                                       |                   |
|--------------------------------|-----------------------------|---------------------------------------|-------------------|
| RITAD AV/DRAWN BY<br><b>CG</b> | DATUM/DATE<br><b>190123</b> | NEXT SHEET<br><b>3</b>                | SHEET<br><b>2</b> |
| SIGN                           | REVISION/ISSUE<br><b>B</b>  | RITINGS NR./DRAWING<br><b>EB11372</b> |                   |



|                                       |                            |                |          |
|---------------------------------------|----------------------------|----------------|----------|
| ARTIKELNR/<br>ARTICLE NO.             |                            | <b>EB11372</b> |          |
| MÄRKSTRÖM/<br>CURRENT RATING          |                            | <b>32</b>      | <b>A</b> |
| SPÄNNING/<br>VOLTAGE                  |                            | <b>400</b>     | <b>V</b> |
| MEASURING<br>EQUIPMENT                |                            |                |          |
| CURR-<br>TRAFO-<br>SPACE              | ENERGY-<br>METER-<br>SPACE |                |          |
| FAST ANSLUTNING/<br>FIXED CONNECTIONS |                            |                |          |
| <125A                                 | >125A                      |                |          |
| CEE-OUTLETS<br>3-POLE                 |                            |                |          |
| 16A                                   | 32A                        | 63A            | 125A     |
| SCHUKO OUTLETS                        |                            |                |          |
| 16A                                   |                            |                |          |
| <b>4</b>                              |                            |                |          |
| CEE-OUTLETS<br>4-POLE                 |                            |                |          |
| 16A                                   | 32A                        | 63A            | 125A     |
| CEE-OUTLETS<br>5-POLE/400V            |                            |                |          |
| 16A                                   | 32A                        | 63A            | 125A     |
| <b>2</b>                              | <b>1</b>                   |                |          |
| JFB/RCD/RCBO                          |                            |                |          |
| 0,01A                                 | 0,03A                      | 0,1A           |          |
| <b>1</b>                              |                            |                |          |
| JFB/RCD/RCBO                          |                            |                |          |
| 0,3A                                  | 0,5A                       | Variable       |          |
| VIKT/WEIGHT                           |                            |                |          |
| <b>5,5</b> kg                         |                            |                |          |

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 32III/421-1 EN



|                   |                |                     |       |
|-------------------|----------------|---------------------|-------|
| RITAD AV/DRAWN BY | DATUM/DATE     | NEXT SHEET          | SHEET |
| CG                | 190123         | 4                   | 3     |
| SIGN              | REVISION/ISSUE | RITNING NR./DRAWING |       |
|                   | B              | EB11372             |       |

| A   | B        | C               | D       | E                  | F                            | G               | H            | J | K                                     |       |
|-----|----------|-----------------|---------|--------------------|------------------------------|-----------------|--------------|---|---------------------------------------|-------|
| PC. | Position | Description     | Type    | Manufacturer       | Data                         | Article No.     | E-number(SE) |   | ARTIKELNR/<br>ARTICLE NO.             |       |
| 1   | -        | Kapsling        | 67TC13  | Idé                | 504x297x177, 12mod           | 17.12.GM        |              |   | EB11372                               |       |
|     |          |                 |         |                    |                              |                 |              |   | MÄRKSTRÖM/<br>CURRENT RATING          |       |
| 2   | F01-F02  | MCB             | iC60N   | Schneider Electric | C 16A, 1P, 6kA               | A9F04116        | 2112043      |   | 32 A                                  |       |
| 2   | F03-F04  | MCB             | iC60N   | Schneider Electric | C 16A, 3P, 6kA               | A9F04316        | 2112073      |   | SPÄNNING/<br>VOLTAGE                  |       |
|     |          |                 |         |                    |                              |                 |              |   | 400 V                                 |       |
| 1   | JF01     | RCD             | iID     | Schneider Electric | 40A, 30mA, 4P, A             | A9Z21440        | 2164955      |   | MEASURING<br>EQUIPMENT                |       |
|     |          |                 |         |                    |                              |                 |              |   | CURR-<br>TRAF0-<br>SPACE              |       |
| 3   | X00      | Universalklämma | KE 66   | Ensto              | AL/CU 2//6-50mm <sup>2</sup> | KE 66           | 2673561      |   | ENERGY-<br>METER-<br>SPACE            |       |
| 1   |          | Universalklämma | KE 66.2 | Ensto              | AL/CU 2//6-50mm <sup>2</sup> | KE 66.2         | 2673562      |   | FAST ANSLUTNING/<br>FIXED CONNECTIONS |       |
| 1   |          | Universalklämma | KE 66.3 | Ensto              | AL/CU 2//6-50mm <sup>2</sup> | KE 66.3         | 2673563      |   |                                       | <125A |
| 4   | X01-X02  | Schukouttag     | Typ F   | Mennekes           | 230V, 16A, IP54              | 11020EB         |              |   |                                       |       |
| 2   | X03-X04  | Uttag           | 416RU6  | ABB                | 16A, 400V, IP44              | 2CMA192642R1000 | 2416633      |   |                                       |       |
| 1   | X05      | Uttag           | 432RU6  | ABB                | 32A, 400V, IP44              | 2CMA192658R1000 | 2416660      |   |                                       |       |
|     |          |                 |         |                    |                              |                 |              |   | CEE-OUTLETS<br>3-POLE                 |       |
|     |          |                 |         |                    |                              |                 |              |   | 16A 32A 63A 125A                      |       |
|     |          |                 |         |                    |                              |                 |              |   | SCHUKO OUTLETS                        |       |
|     |          |                 |         |                    |                              |                 |              |   | 16A                                   |       |
|     |          |                 |         |                    |                              |                 |              |   | 4                                     |       |
|     |          |                 |         |                    |                              |                 |              |   | CEE-OUTLETS<br>4-POLE                 |       |
|     |          |                 |         |                    |                              |                 |              |   | 16A 32A 63A 125A                      |       |
|     |          |                 |         |                    |                              |                 |              |   | CEE-OUTLETS<br>5-POLE/400V            |       |
|     |          |                 |         |                    |                              |                 |              |   | 16A 32A 63A 125A                      |       |
|     |          |                 |         |                    |                              |                 | 2 1          |   | JFB/RCD/RCBO                          |       |
|     |          |                 |         |                    |                              |                 |              |   | 0,01A 0,03A 0,1A                      |       |
|     |          |                 |         |                    |                              |                 | 1            |   | JFB/RCD/RCBO                          |       |
|     |          |                 |         |                    |                              |                 |              |   | 0,3A 0,5A Variable                    |       |
|     |          |                 |         |                    |                              |                 |              |   | VIKT/WEIGHT                           |       |
|     |          |                 |         |                    |                              |                 |              |   | 5,5 kg                                |       |

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 32III/421-1 EN



|                   |                |
|-------------------|----------------|
| RITAD AV/DRAWN BY | DATUM/DATE     |
| CG                | 190123         |
| SIGN              | REVISION/ISSUE |
|                   | B              |

|                     |       |
|---------------------|-------|
| NEXT SHEET          | SHEET |
|                     | 4     |
| RITINGS NR./DRAWING |       |
| EB11372             |       |