

ARTIKELNR /
ARTICLE NO.
EB14111

MÄRKSTRÖM /
CURRENT RATING
125 A

SPÄNNING /
VOLTAGE
400 V

MEASURING
EQUIPMENT
CURR-
TRAFO-
SPACE | ENERGY-
METER-
SPACE

FAST ANSLUTNING /
FIXED CONNECTIONS
<125A | >125A

CEE-OUTLETS
3-POLE
16A | 32A | 63A | 125A

SCHUKO OUTLETS
16A
4

CEE-OUTLETS
4-POLE
16A | 32A | 63A | 125A

CEE-OUTLETS
5-POLE/400V
16A | 32A | 63A | 125A
2 2 1

JFB/RCD/RCBO
0,01A | 0,03A | 0,1A
3

JFB/RCD/RCBO
0,3A | 0,5A | Variable
1


VIKT/WEIGHT
25 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 125RL//4221-301 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190108	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB14111	




This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 125RL//4221-301 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190108	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB14111	



This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 125RL//4221-301 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190108	NEXT SHEET 4	SHEET 3
SIGN	REVISION/ISSUE A*	RITNING NR./DRAWING EB14111	

A	B	C	D	E	F	G	H	J	K
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)		ARTIKELNR / ARTICLE NO. EB14111
1	-	Kit Svep	L	El-Björn AB	Rostfritt	K10158			MÄRKSTRÖM/ CURRENT RATING 125 A
1		Kit Uttagsplåt	L	El-Björn AB	Rostfritt	K10157			SPÄNNING/ VOLTAGE 400 V
3	F01-F03	MCB	iC60H	Schneider Electric	10kA, 1P, C 16A	A9F07116	2112130		MEASURING EQUIPMENT CURR- TRAFO- SPACE ENERGY- METER- SPACE
2	F04-F05	MCB	iC60H	Schneider Electric	10kA, 3P, C 16A	A9F07316	2112254		FAST ANSLUTNING/ FIXED CONNECTIONS <125A >125A
2	F06-F07	RCBO	iC60N	Schneider Electric	6kA, 4P, C 32A, 30m	A9D67432	2165085		CEE-OUTLETS 3-POLE 16A 32A 63A 125A
1	F08	MCB	iC60H	Schneider Electric	10kA, 3P, C 63A	A9F07363	2112265		SCHUKO OUTLETS 16A 4
1	JF01	RCD	iID 4P A	Schneider Electric	40A, 30mA	A9Z21440	2164955		CEE-OUTLETS 4-POLE 16A 32A 63A 125A
1	JF08	RCD	iID	Schneider Electric	63A, 300mA, 4P, A	A9Z24463	2164974		CEE-OUTLETS 5-POLE/400V 16A 32A 63A 125A 2 2 1
1	Q00	Lastbrytare	KG 125 T103/01	Kraus & Naimer	125A, 3-P	KG 125 T103/01			JFB/RCD/RCBO 0,01A 0,03A 0,1A 3
3	X00	Universalklämma	KE 67	Ensto	AL/CU 2//16-95mm ²	KE 67	2673571		JFB/RCD/RCBO 0,3A 0,5A Variable 1
1		Universalklämma	KE 67.2	Ensto	AL/CU 2//16-95mm ²	KE 67.2	2673572		VIKT/WEIGHT 25 kg
1		Universalklämma	KE 67.3	Ensto	AL/CU 2//16-95mm ²	KE 67.3	2673573		
4	X01-X03	Schukouttag	Typ F	Mennekes	230V, 16A, IP54	11020EB			
2	X04-X05	Uttag	416RAU6	ABB	16A, 400V, IP44	2CMA193235R1000	2416650		
2	X06-X07	Uttag	432RU6	ABB	32A, 400V, IP44	2CMA192658R1000	2416660		
1	X08	Uttag	463RU6	ABB	63A, 400V, IP44	2CMA192664R1000	2416680		

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 125RL//4221-301 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190108	NEXT SHEET	SHEET 4
SIGN	REVISION/ISSUE A*	RITNING NR./DRAWING EB14111	