


ARTIKELNR/ ARTICLE NO. EB14112			
MÄRKSTRÖM/ CURRENT RATING 63 A			
MEASURING EQUIPMENT			
CURR- TRAFO- SPACE	ENERGY- METER- SPACE		
FAST ANSLUTNING/ FIXED CONNECTIONS			
<125A	>125A		
CEE-OUTLETS 3-POLE/230V			
16A	32A	63A	125A
SCHUKO OUTLETS 2-POLE/230V 16A			
4			
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
1	1	1	
JFB/RCCB		>0,03A & <0,3A	
2			1
JFB/RCCB Variable			
VIKT/WEIGHT		kg	

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 63III/4111-201 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190108	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB14112	




ARTIKELNR / ARTICLE NO. EB14112			
MÄRKSTRÖM / CURRENT RATING 63 A			
MEASURING EQUIPMENT			
CURR-TRAFO-SPACE	ENERGY-METER-SPACE		
FAST ANSLUTNING / FIXED CONNECTIONS			
<125A	>125A		
CEE-OUTLETS 3-POLE/230V			
16A	32A	63A	125A
SCHUKO OUTLETS 2-POLE/230V			
16A			
4			
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
1	1	1	
JFB/RCCB			
<0,03A	>0,3A	>0,03A & <0,3A	
2		1	
JFB/RCCB			
Variable			
VIKT/WEIGHT			
kg			

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 63III//4111-201 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190108	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB14112	



A	B	C	D	E	F	G	H	J	K
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)		ARTIKELNR/ ARTICLE NO. EB14112
1		Kapsling	17.24.GM	Ide	297 x 504 x 177	17.24.GM			MÄRKSTRÖM/ CURRENT RATING 63 A
3	F01-F03	MCB	iC60N 1P 6kA	Schneider Electric	C 16A	A9F04116	2112043		MEASURING EQUIPMENT
1	F04	MCB	iC60N 3P 6kA	Schneider Electric	C 16A	A9F04316	2112073		CURR- TRAFO- SPACE
1	F05	MCB	iC60N 3P 6kA	Schneider Electric	C 32A	A9F04332	2112076		ENERGY- METER- SPACE
2	JF01, JF05	RCD	iID 4P A	Schneider Electric	40A, 30mA	A9Z21440	2164955		FAST ANSLUTNING/ FIXED CONNECTIONS
1	JF06	RCD	iID 4P A	Schneider Electric	63A, 300mA	A9Z24463	2164974		<125A >125A
1	Q00	Lastbrytare	KG 64B T103/01	Kraus & Naimer	63A, 3-P	KG 64B T103/01			CEE-OUTLETS 3-POLE/230V 16A 32A 63A 125A
3	X00	Universalklämma	KE 66	Ensto	AL/CU 2//6-50mm ²	KE 66	2673561		SCHUKO OUTLETS 2-POLE/230V 16A
1		Universalklämma	KE 66.2	Ensto	AL/CU 2//6-50mm ²	KE 66.2	2673562		4
1		Universalklämma	KE 66.3	Ensto	AL/CU 2//6-50mm ²	KE 66.3	2673563		CEE-OUTLETS 5-POLE/400V 16A 32A 63A 125A
4	X01-X03	Schukouttag	Typ F	Mennekes	230V, 16A, IP54	11020EB			JFB/RCCB >0,03A & <0,3A
1	X04	Uttag	416RU6	ABB	16A, 400V, IP44	2CMA192642R1000	2416633		<0,03A >0,3A
1	X05	Uttag	432RU6	ABB	32A, 400V, IP44	2CMA192658R1000	2416660		2 1
1	X06	Uttag	463RU6	ABB	63A, 400V, IP44	2CMA192664R1000	2416680		JFB/RCCB Variable
									VIKTWEIGHT kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

UF 63III/4111-201 EN



RITAD AV/DRAWN BY CG	DATUM/DATE 190108	NEXT SHEET	SHEET 4
SIGN	REVISION/ISSUE A*	RITNINGS NR./DRAWING EB14112	