


A B C D E F G H J K



ARTIKELNR /
ARTICLE NO.
EB14231

MÄRKSTRÖM /
CURRENT RATING
32 **A**

SPÄNNING /
VOLTAGE
230 **V**

MEASURING
EQUIPMENT
CURR-
TRAFO-
SPACE ENERGY-
METER-
SPACE

FAST ANSLUTNING /
FIXED CONNECTIONS
<125A >125A

CEE-OUTLETS
3-POLE
16A 32A 63A 125A
4

SCHUKO OUTLETS
16A

CEE-OUTLETS
4-POLE
16A 32A 63A 125A

CEE-OUTLETS
5-POLE/400V
16A 32A 63A 125A

JFB/RCD/RCBO
0,01A 0,03A 0,1A
4

JFB/RCD/RCBO
0,3A 0,5A Variable

VIKT/WEIGHT
21,5 **kg**



This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

ALFA-II 32 230/(4)-4 EN F



RITAD AV/DRAWN BY CG	DATUM/DATE 190411	NEXT SHEET 2	SHEET 1
SIGN	REVISION/ISSUE A*	RITNING NR./DRAWING EB14231	

A B C D E F G H J K



ARTIKELNR /
ARTICLE NO.
EB14231

MÄRKSTRÖM /
CURRENT RATING
32 A

SPÄNNING /
VOLTAGE
230 V

MEASURING
EQUIPMENT
CURR-
TRAFO-
SPACE ENERGY-
METER-
SPACE

FAST ANSLUTNING /
FIXED CONNECTIONS
<125A >125A

CEE-OUTLETS
3-POLE
16A 32A 63A 125A
4

SCHUKO OUTLETS
16A

CEE-OUTLETS
4-POLE
16A 32A 63A 125A

CEE-OUTLETS
5-POLE/400V
16A 32A 63A 125A

JFB/RCD/RCBO
0,01A 0,03A 0,1A
4

JFB/RCD/RCBO
0,3A 0,5A Variable


VIKT/WEIGHT
21,5 kg

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

ALFA-II 32 230/(4)-4 EN F



RITAD AV/DRAWN BY CG	DATUM/DATE 190411	NEXT SHEET 3	SHEET 2
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB14231	



ARTIKELNR / ARTICLE NO.		EB14231	
MÄRKSTRÖM / CURRENT RATING		32	A
SPÄNNING / VOLTAGE		230	V
MEASURING EQUIPMENT			
CURR- TRAF0- SPACE	ENERGY- METER- SPACE		
FAST ANSLUTNING/ FIXED CONNECTIONS			
<125A	>125A		
CEE-OUTLETS 3-POLE			
16A	32A	63A	125A
4			
SCHUKO OUTLETS			
16A			
CEE-OUTLETS 4-POLE			
16A	32A	63A	125A
CEE-OUTLETS 5-POLE/400V			
16A	32A	63A	125A
JFB/RCD/RCBO			0,01A
JFB/RCD/RCBO			0,3A
JFB/RCD/RCBO			0,03A
JFB/RCD/RCBO			0,5A
JFB/RCD/RCBO			Variable
VIKT/WEIGHT			
21,5		kg	
RITAD AV/DRAWN BY	DATUM/DATE	NEXT SHEET	SHEET
CG	190411	4	3
SIGN	REVISION/ISSUE	RITINGS NR./DRAWING	
	A*	EB14231	

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

ALFA-II 32 230/(4)-4 EN F



RITAD AV/DRAWN BY	DATUM/DATE	NEXT SHEET	SHEET
CG	190411	4	3
SIGN	REVISION/ISSUE	RITINGS NR./DRAWING	
	A*	EB14231	

A								B								C								D								E								F								G								H								J								K							
PC.	Position	Description	Type	Manufacturer	Data	Article No.	E-number(SE)																																																																								
1	.	Stolpe	Standard 18mod, F	El-Björn AB	IP44	H23419		ARTIKELNR / ARTICLE NO. EB14231																																																																							
4	F01-F04	RCBO	PKPM2	Eaton	C 16A, 30mA	65884	2162432	MÄRKSTRÖM/ CURRENT RATING 32 A																																																																							
1	H00	LED Strip	AL-IEP2-NW	Agolux	4000-4500 Kelvin	2490353		SPÄNNING/ VOLTAGE 230 V																																																																							
1	T00	LED Driver	SLT15-12VF-2	Agolux	12V DC, 1,25A, 15W	SLT15-12VF-2		MEASURING EQUIPMENT CURR- TRAFO- SPACE ENERGY- METER- SPACE																																																																							
3	X00	Universalklämma	KE 66	Ensto	AL/CU 2//6-50mm²	KE 66	2673561	FAST ANSLUTNING/ FIXED CONNECTIONS <125A >125A																																																																							
1		Universalklämma	KE 66.3	Ensto	AL/CU 2//6-50mm²	KE 66.3	2673563	CEE-OUTLETS 3-POLE 16A 32A 63A 125A 4																																																																							
4	X01-X04	Förreglatuttåg	216-6	PC Electric	16A, 230V, IP44	6013-6		SCHUKO OUTLETS 16A																																																																							
2	X05	Radplint	NSYTRV42	Schneider Electric	4mm², Grå	NSYTRV42	2916254	CEE-OUTLETS 4-POLE 16A 32A 63A 125A																																																																							
2		Radplint	NSYTRV42BL	Schneider Electric	4mm², Blå	NSYTRV42BL	2916255	CEE-OUTLETS 5-POLE/400V 16A 32A 63A 125A																																																																							
1		Radplint	NSYTRV42PE	Schneider Electric	4mm², Gul/Grön	NSYTRV42PE	2916257	JFB/RCD/RCBO 0,01A 0,03A 0,1A 4																																																																							
								JFB/RCD/RCBO 0,3A 0,5A Variable																																																																							
								VIKT/WEIGHT 21,5 kg																																																																							

This drawing is property of El-Björn. May not be copied, shown or distributed without our written permission.

ALFA-II 32 230/(4)-4 EN F

EL-BJÖRN 
www.elbjorn.com

RITAD AV/DRAWN BY CG	DATUM/DATE 190411	NEXT SHEET	SHEET 4
SIGN	REVISION/ISSUE A*	RITINGS NR./DRAWING EB14231	